

County Specific Health Indicators LANCASTER County

Category	Health Indicator	Frequency	Rate or Percentage	Rank	SC Rate or Percentage
Access to Health Services	Births paid by Medicaid (2011) ^{1,5}	379	43.8	8	50.8
	Was there a time in the past 12 months when you needed to see a doctor but could not because of cost? (2008-2010) ^{2,5}	25316	14.9	11	16.4
Clinical Preventive Services	Hep B Vaccine dose in facility (2011) ^{1,6}	500	57.7	40	76.5
	Flu Vaccine (65+) (2008-2010) ^{2,6}	18561	67.7	21	68.6
	Pneumococcal Vaccine (65+) (2008-2010) ^{2,6}	19098	69.0	11	68.8
Chronic Disease	Diabetes (Have you ever been told by a doctor that you have diabetes? (2008-2010) ^{2,5}	16111	9.5	10	10.4
	Hypertension (Have you ever been told by a doctor, nurse, or other health professional that you have high blood pressure?) (2008-2010) ^{2,5}	65206	38.6	29	33.4
Nutrition, Physical Activity, and Obesity	Adults who are Obese (20+ years of age) (2008-2010) ^{2,5}	58034	38.2	34	32.4
	Physical Activity (Adults that report doing physical activity or exercise during the past 30 days other than their regular job.) (2008-2010) ^{2,5}	117143	68.8	27	73.0
Tobacco	Current smokers (18+ years of age) (2008-2010) ^{2,5}	34126	20.1	21	20.5

1 Percentage

2 Weighted Frequency and Percentage

3 Rate per 1,000 live births

4 Rate per 100,000 population

5 Rates ranked in ascending order. A rank of 1 signifies the lowest rate in the state.

6 Rates ranked in descending order. A rank of 1 signifies the highest rate in the state.

Source: DHEC, PHSIS

County Specific Health Indicators LANCASTER County

Category	Health Indicator	Frequency	Rate or Percentage	Rank	SC Rate or Percentage
Infectious Disease	HIV incidence (2011) ^{4,5}	7	9.0	10	16.2
	HIV prevalence (2011) ^{4,5}	135	173.3	7	317.6
	Chlamydia (2011) ^{4,5}	308	395.3	3	606.3
	Gonorrhea (2011) ^{4,5}	84	107.8	6	174.8
	Syphilis (2011) ^{4,5}	2	2.6	3	13.7
Maternal, Infant, and Child Health	Infant mortality (2009-2011) ^{3,5}	21	7.9	26	7.3
	Neonatal mortality (2009-2011) ^{3,5}	14	5.3	27	4.4
	Postneonatal mortality (2009-2011) ^{3,5}	7	2.6	20	2.9
	Low Birth Weight (2011) ^{1,5}	105	12.1	35	9.9
	Preterm births (2011) ^{1,5}	102	11.8	21	11.5
	Pregnant females receiving early and adequate prenatal care (Kotelchuck Adequate and Adequate+) (2011) ^{1,6}	615	71.0	29	73.9

1 Percentage

2 Weighted Frequency and Percentage

3 Rate per 1,000 live births

4 Rate per 100,000 population

5 Rates ranked in ascending order. A rank of 1 signifies the lowest rate in the state.

6 Rates ranked in descending order. A rank of 1 signifies the highest rate in the state.

Source: DHEC, PHSIS

County Specific Health Indicators LANCASTER County

Category	Health Indicator	Frequency	Rate or Percentage	Rank	SC Rate or Percentage
	Breastfeeding initiation (2011) ^{1,6}	526	60.7	18	65.7
	Women who smoked during pregnancy (2011) ^{1,5}	119	13.7	25	11.5
	Teen live births (2011) ^{1,5}	101	11.7	20	10.6
	WIC enrollment need met(pregnant women) (2012) ¹	256	38.0	.	42.0
	WIC enrollment need met (infants) (2012) ¹	526	96.0	.	121.0
	WIC enrollment need met (children) (2012) ¹	988	41.0	.	52.0

1 Percentage

2 Weighted Frequency and Percentage

3 Rate per 1,000 live births

4 Rate per 100,000 population

5 Rates ranked in ascending order. A rank of 1 signifies the lowest rate in the state.

6 Rates ranked in descending order. A rank of 1 signifies the highest rate in the state.

Source: DHEC, PHSIS

Leading Causes of Death by Age Group LANCASTER County, 2009 - 2011

Under 1 Year

Cause of Death (ICD-10 Code)	Number	Percent	Rate*	SC Rate*
All Causes	21	100.0	7.9	7.3
Congenital Malformations, Etc. (Q00-Q99)	4	19.0	1.5	1.3
Respiratory Distress Of Newborn (P22)	3	14.3	1.1	0.1
Accidents (V01-X59,Y85-Y86)	3	14.3	1.1	0.5
All Other Causes	11	52.4	4.2	3.5

1 - 14 Years

Cause of Death (ICD-10 Code)	Number	Percent	Rate**	SC Rate**
All Causes	16	100.0	1.1	0.6
Accidents (V01-X59,Y85-Y86)	7	43.8	50.0	20.5
Septicemia (A40-A41)	1	6.3	7.1	0.6
Malignant Neoplasms (C00-C97)	1	6.3	7.1	7.8
Disease Of Heart (I00-I09,I11,I13,I20-I51)	1	6.3	7.1	3.0
Chronic Lower Respiratory Disease (J40-J47)	1	6.3	7.1	2.4
Cond. From Perinatal Period (P00-P96)	1	6.3	7.1	0.4
Homicide (X85-Y09,Y87.1)	1	6.3	7.1	4.7
All Other Causes	3	18.8	21.4	11.5

* Rate per 1,000 live births

** Crude Rate per 100,000 population

Leading Causes of Death by Age Group LANCASTER County, 2009 - 2011

15 - 24 Years

Cause of Death (ICD-10 Code)	Number	Percent	Rate**	SC Rate**
All Causes	28	100.0	3.0	2.5
Accidents (V01-X59,Y85-Y86)	16	57.1	173.5	122.8
Homicide (X85-Y09,Y87.1)	4	14.3	43.4	38.4
Septicemia (A40-A41)	1	3.6	10.8	1.1
Diabetes Mellitus (E10-E14)	1	3.6	10.8	1.7
Disease Of Heart (I00-I09,I11,I13,I20-I51)	1	3.6	10.8	9.3
Pneumonia And Influenza (J09-J18)	1	3.6	10.8	1.4
Suicide (X60-X84,Y87.0)	1	3.6	10.8	32.8
All Other Causes	3	10.7	32.5	18.1

25 - 44 Years

Cause of Death (ICD-10 Code)	Number	Percent	Rate**	SC Rate**
All Causes	135	100.0	6.6	5.4
Accidents (V01-X59,Y85-Y86)	34	25.2	165.7	149.4
Disease Of Heart (I00-I09,I11,I13,I20-I51)	23	17.0	112.1	82.1
Suicide (X60-X84,Y87.0)	18	13.3	87.7	50.3
All Other Causes	60	44.4	292.4	245.5

** Crude Rate per 100,000 population

Leading Causes of Death by Age Group LANCASTER County, 2009 - 2011

45 - 64 Years


Cause of Death (ICD-10 Code)	Number	Percent	Rate**	SC Rate**
All Causes	533	100.0	25.0	23.4
Malignant Neoplasms (C00-C97)	161	30.2	756.6	715.0
Disease Of Heart (I00-I09,I11,I13,I20-I51)	135	25.3	634.4	535.9
Accidents (V01-X59,Y85-Y86)	36	6.8	169.2	163.0
All Other Causes	201	37.7	944.5	900.3

65 + Years

Cause of Death (ICD-10 Code)	Number	Percent	Rate**	SC Rate**
All Causes	1438	100.0	125.5	132.9
Disease Of Heart (I00-I09,I11,I13,I20-I51)	420	29.2	3664.9	3102.6
Malignant Neoplasms (C00-C97)	304	21.1	2652.7	2843.9
Chronic Lower Respiratory Disease (J40-J47)	98	6.8	855.1	897.8
All Other Causes	616	42.8	5375.2	6414.6


** Crude Rate per 100,000 population

Lancaster County Health Indicator Percents by Health Category



*Error bars represent the highest and lowest percent in South Carolina for that health indicator.

Lancaster County Health Indicator Rates* by Health Category



□ SC Rates or Percentages


■ Infectious Disease

*Rates per 100,000 population

**Error bars represent the highest and lowest rate in South Carolina for that health indicator.

Source: Division of STD/HIV Programs

Lancaster County Health Indicator Rates* and Percents by Health Category



SC Rates or Percentages
 Maternal, Infant, and Child Health

*Rates per 1,000 population

**Error bars represent the highest and lowest percent/rate in South Carolina for that health indicator.